

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/943,535	08/30/2001	Graham Andrew Cairns	YAMAP0777US	9423
7590 03/28/2005			EXAMINER	
Neil A. DuChez			LAO, LUN YI	
•	TO, BOISSELLE & SK	ART UNIT	PAPER NUMBER	
1621 Euclid Avenue, 19th Floor Cleveland, OH 44115			2673	
			DATE MAILED: 03/28/2005	j

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
		09/943,535	GRAHAM ANDR				
Office Action Su	ımmary	Examiner	Art Unit				
		Lao Y Lun	2673				
The MAILING DATE of Period for Reply	this communication app	ears on the cover she	et with the correspondence a	ddress			
A SHORTENED STATUTOR' THE MAILING DATE OF THI - Extensions of time may be available un after SIX (6) MONTHS from the mailing If the period for reply specified above is	S COMMUNICATION. der the provisions of 37 CFR 1.13 date of this communication. less than thirty (30) days, a reply the maximum statutory period we ded period for reply will, by statute, lan three months after the mailing	6(a). In no event, however, n within the statutory minimum ill apply and will expire SIX (6 cause the application to becc	nay a reply be timely filed of thirty (30) days will be considered time ) MONTHS from the mailing date of this of me ABANDONED (35 U.S.C. § 133).	ely. communication.			
Status							
1) Responsive to commur	nication(s) filed on 12 Ja	nuary 2005.					
2a)☐ This action is <b>FINAL</b> .	· · · <u> </u>	action is non-final.					
3) Since this application is							
Disposition of Claims							
4)	s) <u>17-40</u> is/are withdraw llowed. ected. bjected to.		·				
Application Papers							
9) The specification is obje	cted to by the Examine	r.					
10)☐ The drawing(s) filed on	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing she	, ,	•	wing(s) is objected to. See 37 C iched Office Action or form P				
Priority under 35 U.S.C. § 119							
<ul><li>2. Certified copies of</li><li>3. Copies of the certified</li></ul>	None of:  If the priority documents  If the priority documents  If the priority documents  If the priority documents  If the priority  If the International Bureau	s have been received s have been received ity documents have t (PCT Rule 17.2(a)).	in Application No been received in this National	l Stage			
Attachment(s)			,				
1) Notice of References Cited (PTO-8	92)		view Summary (PTO-413)				
Notice of Draftsperson's Patent Dra     Information Disclosure Statement(s     Paper No(s)/Mail Date			r No(s)/Mail Date e of Informal Patent Application (PT ':	O-152)			

Art Unit: 2673

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1, 2, 5, 9, 10 and 12-14 are rejected under 35 U.S.C. 102(e) as being anticipated by Nishioka et al(5,390,293).

As to claims 1, 2, 5, 9, 10 and 12-14, Nishioka et al teach a driving arrangement for an active matrix liquid crystal display comprising: (a) a multi-format digital data driver arranged to operate in a plurality of different display modes(4096 color mode(N+M mode) or 512color mode(N mode))(see figures 1, 4, 6-15, 17 and 19-21; abstract; column 2, lines 12-47; column 3, lines 1-39; column 4, lines 21-64; column 5, lines 1-23; column 7, lines 43-51; column 8, lines 29-39; column 9, lines 1-30; column 10, lines 5-47; column 16, lines 1-35; column 17, lines 63-68 and column 18, lines 1-14), to receive digital input data in a plurality of different color formats(3bits, 60 HZ or 4 bits, 80HZ), and to drive data lines of the liquid crystal display(51) so as to cause an image to be displayed by the display corresponding to the input data(40-43, 24); and

Art Unit: 2673

(b) data analysis means(44) arranged to receive the digital input data(40-43, 24), to determine the format of the input data, and to control the data driver(44, 48) to operate in the display mode corresponding to the format of the input data(see figures 1, 6-15, 19-22; abstract; column 9, lines 1-30; column12, lines 30-67; column 13. lines 3-68 and columns 14-15). Nishioka et al teach a data driver(44,48) consuming less power in low resolution display mode(512 or N color mode) compared to high resolution display mode(4096 or (N+M) color mode)(see figures 1, 4, 6-15, 17 and 19-21; abstract; column 4, lines 60-64; column 5, lines 13-23; column 8, lines 28-39; column 10, lines 5-47 and column 16, lines 1-10).

As to claim 2, Nishioka et al teach the data analysis means forms part of the data driver(44, 48)(see figure 6).

As to claim 5, Nishioka et al teach the analysis means (44) updating the mode of the data driver at the end of each frame (see figures 1, 6-8; column 14, lines 12-68 and column 15, lines 1-9).

As to claim 10, Nishioka et al teach a format control signal(24) having high(4096) and low resolution(512) control signals(see figures 1, 5-7 and column 12, lines 8-12).

As to claim 12, Nishioka et al teach data driver(44, 48) having a plurality of digital data input channels(40-43) arranged to received the digital input data(se figure 6).

As to claim 13, Nishiko et al teach data analysis means(44) having a number of storage registers(60, 62, 66)(see figures 6-7 and column 13, lines 45-63).

Art Unit: 2673

### Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nashioka et al in view of Daher(5,327,254).

Nashioka fail to disclose a 1-bit overlay mode.

Daher teaches a display device having a on-bit overlay mode(see column 11, lines 52-60 and column 12, lines 1-6). It would have been obvious to have modified Nashioka et al with the teaching of Daher, so as to efficiently provide a high quality picture.

5. Claims 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nashioka et al in view of Koyama et al(5,767,832).

Nashioka et al fails to disclose a data driver for providing a lower refresh rate if the input data has remained unchanged.

Koyama et al teach an LCD display driving circuit comprising data driver for outputting a lower refresh rate if the input data has remained unchanged(see figures 1-2; abstract; column 2, lines 3-10 and column 6, lines 53-59). It would have been obvious to have modified Nashioka et al with the teaching of Koyama et al, so as to save power(see abstract and column 1, lines 51-61).

Art Unit: 2673

As to claim 8, Koyama teach an LCD display driving circuit having data analysis means having an OR gate(see figure 2 and column 5, lines 5-31).

6. Claim 11 is rejected under 35 U.S.C. 102(e) as being anticipated by Nakagiri(6,396,465) in view of Cairns et al(EP 0,930,716).

Nakagiri fails to disclose a variable bit digital to analog converter.

Cairns teach an LCD display driver having a variable bit digital to analog converter(see figures 5, 7, 13-14; column 6, lines 39-58; column 7, lines 1-35; column 13, lines 28-58 and column 14, lines 1-8). It would have been obvious to have modified Nakagiri with the teaching of Cairns, so as to provide a more efficient digital to analog converter for performing gamma correction(see column 4, lines 9-39 and column 14, lines 3-8).

7. Claims 15-16 are rejected under 35 U.S.C. 102(e) as being anticipated by Nishioka et al(5,390,293) in view of Misawa et al(5,250,931).

Nishioka et al. fail to disclose the thin film transistors of the active matrix arranged in the same substrate.

Misawa et al teach an LCD display having driving means(12, 21) and the thin film transistors(29) of the active matrix arranged in the same substrate(11)(see figure 1; abstract and column 4, lines 43-68). It would have been obvious to have modified Nishioka et al with the teaching of Misawa et al, so as to reduce the number of connecting wires, ensure more stable connections, minimize space and the number of parts in providing the display control circuitry.

#### Response to Arguments

8. Applicant's arguments with respect to claims 1-16 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Sugihara et al(5,523,802) teach a dual-mode image display apparatus for displaying color images and black-and-white images.

Chee et al(5,886,689) teach a computer system having a plurality of power saving control modes.

Kubota et al(US 20020075249) teach a display driving circuit compatible with different suitable display format and the power consumption can be reduced by switch operating drive circuits according to the kind of input video and environment.

Kuga(5,828,367) teaches an LCD display having a reduce power-driving mode.

Chiang(6,747,626) teaches a display apparatus comprising a source drive circuit(200) providing several different operating modes for driver to lower the power consumption of an LCD display.

Levine(EPEP0,707,301) teaches a field emission display can be switched from a color mode to a monochrome mode,

Page 7

Application/Control Number: 09/943,535

Art Unit: 2673

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lun-yi Lao whose telephone number is 571-272-7671. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 571-272-7681. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 23, 2005

Lun-yi Lao

**Primary Examiner**